

**EFFECTIVE COVERAGE
FOR ALL FLUIDS**

PROVEN TECHNOLOGY SINCE 2004

Certified for use with
potable water according
(AS/NZS 4020:2018)

The unique and patented Hexa-Cover® is perfect on almost any form of fluid surface and is the ideal solution for controlling such things as:

- Odor
- Heat loss
- Evaporation
- Emission
- Algae
- Bird deterrent (*)

* what significantly reduces sedimentation, risk of E-coli etc.

Since its launch in 2004, Hexa-Cover® has been chosen for a vast number of installations globally, making the Hexa-Cover® the market leading solution.

Today Hexa-Cover® is used on almost all forms of basins, lagoons, reservoirs, containers, ponds and tanks.

Hexa-Cover®:

- Is the solid, robust and long lasting solution
- Has no weak spots, no blow- / injection holes
- Has no hollow areas (that eventually will break)
- Withstand rain, snow and frost
- Has no openings (that eventually will clog due to sand, debris, algae etc.)

Tested by DLG, Testzentrum, Germany



The applications are many and include among others:

Water:

- Drinking water
- Wastewater
- Raw - / drinking water
- Cooling water
- Processwater
- Recovery water
- Irrigation water
- Tailings Ponds
- ILS, PLS, Refino
- Emergency tanks

Industry:


- Leachate
- Decoction
- Chemicals

Oil & Gas:

- Spill-over tanks
- Emergency tanks
- Frac Water tanks
- Boil Feed Water

Agriculture:

- Storage tanks at i.e. Biogas Plants
- Manure and slurry tanks, lagoons etc.



Hexa-Cover® ensures;

- Up to 99% coverage of the surface area
- Up to 95% reduction of evaporation
- Up to 96% reduction of emission
- Up to 96% reduction of odor
- Noticeable reduction in organic growth
- Heat loss / heatflux reduced by 74%)



Hexa-Cover® is manufactured of **recycled** Polypropylene and is the solid and robust solution offering a long lifespan free of maintenance, service and repair.

Hexa-Cover® has no inside water as this creates risks for cracks meaning the inside water will escape the elements and enter into the covered fluid, this can potentially pollute / change the balance of the covered fluid.


Hexa-Cover® - features & benefits:

- Ease of installation
- Installation in both full and empty tank
- Automatic distribution on the fluid surface
- Automatic adaption to changes in the level
- Fits to all shapes and geometries
- Easy adaption to changes in surface area
- Unlimited access to the liquid
- Favorable cost
- No running cost
- No repair cost
- No maintenance cost
- Needs no supervision
- Unaffected by rain, snow and frost
- Allows use of aeration
- Favourable price
- 10 years warranty
- 25 years expected lifetime



Hexa-Cover® - in two sizes:

Hexa-Cover® R90	
Diagonal measure	18,0 cm
Height	5,0 cm
Weight	0,120 kg
Weight per m2	5,2 kg
Pcs per m2	43
Big Bag	1,0 x 1,3 x 2,5 m
Surface area	50 m2
Weight	270 kg



Hexa-Cover® R114	
Diagonal measure	22,8 cm
Height	6,0 cm
Weight	0,243 kg
Weight per m2	6,8 kg
Pcs per per m2	28
Big Bag	1,0 x 1,3 x 2,5 m
Surface area	40 m2
Weight	270 kg



Big Bag delivery and installation



[Video](#)



Installation in empty tank, no problem !




BULK delivery and installation



[Video](#)



Elevation, no problem !



Water scarcity - a growing problem!

Hexa-Cover® helps Australia reduce evaporation by 73%.

Additionally, Hexa-Cover® eliminates algae growth and prevents unwanted birds and ducks from landing on the covered water.

All to the benefit of the environment and human beings.

[Link, article](#)

Government of Western Australia




GOVERNMENT OF
WESTERN AUSTRALIA

"Made from 100% recycled plastic, the covers were shown to reduce evaporation by 73%, saving more than 1.6 million liters of drinking water, during a recent trial involving researchers from the University of Western Australia in Wellstead, 90km east of Albany."

More Water Better Water




[Link, video](#)

ABC News Australia



Another dam well underway...





For more information

Hexa-Cover A/S • Vilhelmsborgvej 5 • DK-7700 Thisted • TEL +45 96 17 78 00
www.hexa-cover.com • info@hexa-cover.com